


HIP-X SYSTEM PRODUCT GUIDE

perform-x.com





SCAN FOR SETUP + USE

PRODUCT SETUP DETAILS

ATTACHING THE HIP-X SYSTEM TO TRAK-X



STEP 1

Clip in the CLIP-X end of the HIP-X System into the TRAK-X mounted vertically on the wall. Attach the cord low on the TRAK-X to allow a good angle out for ankle attachment.

ATTACHING THE HIP-X CUFF



STEP 1 Velcro HIP-X Cuff around ankle.



FINAL Position

Move out away from wall TRAK-X with cord taut, then start movements.

USING THE HIP-X SYSTEM WITHOUT TRAK-X



- STEP 1 Wrap the Cam Tether around a stationary object (ex. A squat rack, a fence post, a tree) at the desired height for use and attach the Cam Buckle
- STEP 2 Pull the Cam Tether tight to hold the HIP-X System in place

HIP-X SYSTEM RESISTANCE CHART (SINGLE CORD)

RESISTANCE	AVG LBS OF Resistance	WORKING RANGE OF RESISTANCE (LBS)
SUPER LIGHT	4 LBS	2.5-5.5 LBS
EXTRA LIGHT	6.5 LBS	4-9 LBS
LIGHT	13 LBS	8-18.5 LBS
MEDIUM	15 LBS	9.5-21 LBS
HEAVY	22.5 LBS	13.5-31.5 LBS
EXTRA HEAVY	24 LBS	15.5-34.5 LBS
ULTIMATE	35 LBS	21-48 LBS



SCAN FOR INSTRUCTIONS ON HOW TO CONNECT CLIP-X TO TRAK-X

PERFORM-X TRAINING SYSTEMS LIMITED WARRANTY

The Cord products are warranted for one year to be without defect in material or workmanship. Buyer acknowledges that Perform-X does not manufacture specific raw Cord. If there is a covered defect, Perform X will: (1) a Perform X's election, replace the defective Cord. (ii) customer is responsible for the cost of transporting defective dord to Perform-X will customer in the replacement Cord to Buyer if actual cord received is deemed defective; Buyer must notify Perform-X of any defect in replacement Cord within a period or ninety (S0) days after the Cord is received or it will be deemed to be without defect.

The limited warranties in this Section do not cover any defects or costs caused by (0) modification, alteriation, repair, or installation (ii) physical bases to ar mission eff. Bord or operation thereof or (iii) any use of the Cord other than that for which it was intended. This warrantly also excludes all costs arising from routine cleaning maintenance, Perform X reserves the right to modify, alter or improve the Cord, or parts thereaf, at any time without incurring an obligation to modify, alter, improve or replace the Cord, or parts thereof, previously sold.

EXCEPT AS APPRESSLY PROVIDED IN THIS SECTION 2. (I) PERFORM.Y MAKES NO PROMISE OR WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO CORD. (III) PERFORM.Y WILL HAVE NO OTHRE OBLICATION OR LIABILITY TO BUYER WITH RESPECT TO ANY DEFECT IN CORD OR ANY NON-CONFORMITY TO THE SPECIFICATIONS OR ANY DAMAGE TO OR CONDITION OF THE CORD OR THE USE OF THE CORD AND (IIII) BUYER WILL HAVE NO OTHER REMEMDIS IN RESPECT OF SUCH DEFECT, NON-CONFORMITY. DAMAGE, CONDITION OR USE, WITHOUT LIMITING THE FOREGOING, AND REGARDLESS OF THE CIRCUMSTANCES AND EVEN IF A REMEDY FAILS. PERFORM-X WILL HAVE NO LIABILITY TO BUYER FOR LOSS OF REVENUE OR PROFITS. OR FOR INCIDENTAL. CONSEQUENTIAL OR PUNITIVE DAMAGES OF ANY KIND OR NATURE. THE SPECIFIC WRITTEN WARRANTIES SET OUT IN THIS AGREEMENT FROM PERFORM-X ARE IN LIEU OF ANY OTHER WARRANTY WHATSOEVER. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF, ANY EXPRESS WARRANTY NOT PROVIDED HEREIN, AND ANY REMEDY WHICH BUT FOR THE WARRANTY CONTAINED HEREIN MIGHT ARISE BY IMPLICATION OR OPERATION OF LAW. IS HEREBY EXCLUDED AND DISCLAIMED INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE OR USE. PERFORM-X HAS NO LIABILITY ASSOCIATED WITH THE USE OF THE CORDS. IT IS UNDERSTOOD AND AGREED THAT PERFORM-X'S LIABILITY AND BUYER'S SOLE REMEDY, WHETHER IN CONTRACT, UNDER ANY WARRANTY, IN TORT (INCLUDING NEGLIGENCE), IN STRICT LIABILITY OR OTHERWISE SHALL NOT EXCEED THE RETURN OF THE AMOUNT OF THE PURCHASE PRICE PAID BY BUYER. THIS WARRANTY GIVES BUYER SPECIFIC LEGAL RIGHTS, AND BUYER MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.